





With or Without Blinds

The Ultimate Solution

TRIPLE GLAZED FLAT ROOFLIGHTS



Enhance Natural Lighting and Energy Efficiency with




- ✔ We are a trusted, high-quality rooflight manufacturer supplying homes across the UK.
- ✔ We offer an industry-leading integrated blind within a rooflight system, ensuring ultra-slim sight lines for a sophisticated design.
- ✔ Our rooflight systems are manufactured to the highest standards with components that stand the test of time.

Why Choose **Us?**



Triple
Glazed



Argon Gas
Insulated



Impact
Resistant



Easy Clean
Glass



Light
Transmittal



Leak-Proof
Design



FEATURES:

- ✔ Triple Glazed
- ✔ Argon Gas Insulated
- ✔ Impact Resistant
- ✔ Easy Clean Glass
- ✔ Light Transmittal
- ✔ Leak-Proof Design
- ✔ EnduroShield easy-clean surface coating technology

A Stepped Rooflight that **Delivers more, For Less**




- ✔ Triple Glazed 64mm thick units
- ✔ 20 year warranty
- ✔ U Value: 0.74W/m³
- ✔ Collect from stock today
- ✔ Pre-made kerb available as an additional extra

No Dust, No Bugs

Fully Integrated Blind


Why choose an integral electric blind?

Choosing an integral electric blind offers both convenience and energy efficiency. With its motorised operation, it allows for effortless control of natural light and privacy while also helping to regulate indoor temperatures, making it a smart and eco-friendly addition to any space.




- ✔ Full Shade Control
- ✔ 20 Year Warranty on Sealed Unit, 5 Year Warranty on Blind
- ✔ Remote controlled integral electric blind
- ✔ U Value: 0.81W/m³
- ✔ Leak-Proof Design

Technical Drawing



Specification



Premium Craftsmanship: Elevate your indoor spaces with our all glass rooflights.


Superior Thermal Efficiency: Our 6mm triple-glazed toughened safety glass has exceptional energy performance. Our triple-glazed rooflight boasts a U Value: 0.74W/m³. Add in the integral blind and the U Value: 0.81W/m³ ensuring your space remains energy-efficient and comfortable.

Stylish Customization: Our rooflights include a sleek Black (RAL 9005) decorative border as a standard feature, adding a chic aesthetic touch to your installation. Borders are either ceramic or filmed.

Glass Make up: All three panes of glass are 6mm BS EN 12150 thermally toughened (6mm clear toughened / 30mm spacer / 6mm low-e toughened / 16mm spacer / 6mm low-e toughened). The standard rooflights are 95% argon gas-filled in both cavities. The integral blind units are 95% argon gas-filled in one cavity.

Stocked Sizes Available

Opening Size	Rooflight Weight Without Blind
1000 X 1000mm	48kg
1000 X 1500mm	70kg
1000 X 2000mm	94kg
1200 X 1200mm	68kg
1200 X 1800mm	100kg
1200 X 2000mm	112kg
600 X 1200mm	34kg
600 X 1500mm	42kg
800 X 1000mm	38kg
800 X 1200mm	45kg
800 X 1500mm	57kg
900 X 900mm	38kg
1500 X 1500mm	107kg
1000 X 3000mm	142kg



The inner pane of glass is 20mm smaller than the stated opening size to allow for fitting tolerance.
Non-standard sizes and bespoke shapes made to order